



INDEX	PAGE(S)
Basic Workbench	126 - 127
Preconfigured Models . . .	128 - 131
<b>Components</b>	
Work surface . . . . .	132 - 134
Structure under the work surface. . . . .	135 - 141

## BASIC WORKBENCH

Whether you need a basic workbench consisting of two legs and a top, or a more specialized, height-adjustable table for stationary or mobile tasks, you will find a solution for every application.

You will love the versatility of our workbenches and their ability to evolve along with your business needs by simply adding one of the many easy-to-install accessories available.

You also have a choice of several work surface dimensions for each of the surfaces offered: painted steel, stainless steel, laminated wood, plastic laminate, Acrylic/PVC laminate and dissipative tops. Rousseau is your one-stop solution for an easier life!



WSA2019

THE ROUSSEAU DIFFERENCE




"Inverted hat" shaped top part provides excellent rigidity. Optional power supply available.




Doors close and secure the underside of the work surface in the solid and polycarbonate versions.



Drawers run on a precision ball-bearing slide system. Multiple drawer and unit heights available.




Choose from a variety of work surfaces for specific applications.



Many of our workbenches can be made mobile to better meet your needs.


GENERAL DIMENSIONS

HEIGHTS AVAILABLE



NOTES: The total height shown includes a 1 3/4"-thick top, see page 132. Extensions are available for additional heights, see page 138.

WIDTHS AND DEPTHS AVAILABLE



WSW1032



LG2010



LG7131C

NOTE Popular dimensions are shown in red.

# PRECONFIGURED MODELS

## BASIC WORKBENCHES

### BASIC WORKBENCH WITH STRINGER



WSA2031

- 1 top of your choice
- 2 legs, 27"D x 32"H
- 1 stringer

- The mobile model (35"H total) includes the following additional accessories:
  - 2 pairs of caster adapters for legs
  - 1 pair of 4" rigid casters
  - 1 pair of 4" swivel casters with total-lock brake
  - 1 footrest



This table can be made mobile.

NOTE: The legs on mobile models are 28"H

DIMENSIONS				TYPE OF TOP			
W	D	H	PAINTED STEEL	LAMINATED HARDWOOD	PLASTIC LAMINATE	ACRYLIC/PVC	
60"	30"	34"	WS_1031	WS_2031	WS_3031	WS_9031	
72"	30"	34"	WS_1035	WS_2035	WS_3035	WS_9035	
72"	36"	34"	WS_1039	WS_2039	WS_3039	WS_9039	

To order: Complete the product number as follows:

A for a stationary workbench, W for a mobile workbench, e.g., WSW2031

### WORKBENCH WITH SHELVES



WSA2019

- 1 top of your choice
- 2 legs, 27"D x 32"H
- 2 shelves, 12"D
- 1 stringer

- The mobile model (35"H total) includes the following additional accessories:
  - 2 pairs of caster adapters for legs
  - 1 pair of 4" rigid casters
  - 1 pair of 4" swivel casters with total-lock brake
  - 1 footrest



This table can be made mobile.

NOTE: The legs on mobile models are 28"H

DIMENSIONS				TYPE OF TOP			
W	D	H	PAINTED STEEL	LAMINATED HARDWOOD	PLASTIC LAMINATE	ACRYLIC/PVC	
60"	30"	34"	WS_1019	WS_2019	WS_3019	WS_9019	
72"	30"	34"	WS_1023	WS_2023	WS_3023	WS_9023	
72"	36"	34"	WS_1027	WS_2027	WS_3027	WS_9027	

To order: Complete the product number as follows:

A for a stationary workbench, W for a mobile workbench, e.g., WSW2019

### CLOSED WORKBENCH



WSA2070

- 1 top of your choice
- 2 legs, 27"D x 32"H
- 1 sliding door with L3 lock
- 2 side panels and 1 back panel
- 3 shelves, 12"D
- 2 leg crossbars

- The mobile model (35"H total) includes the following additional accessories:
  - 2 pairs of caster adapters for legs
  - 1 pair of 4" rigid casters
  - 1 pair of 4" swivel casters with total-lock brake
  - 1 footrest



This table can be made mobile.

NOTE: The legs on mobile models are 28"H

DIMENSIONS				TYPE OF TOP			
W	D	H	PAINTED STEEL	LAMINATED HARDWOOD	PLASTIC LAMINATE	ACRYLIC/PVC	
60"	30"	34"	WS_1070	WS_2070	WS_3070	WS_9070	
72"	30"	34"	WS_1071	WS_2071	WS_3071	WS_9071	
72"	36"	34"	WS_1072	WS_2072	WS_3072	WS_9072	

To order: Complete the product number as follows:

A for a stationary workbench, W for a mobile workbench, e.g., WSW2070

## ADJUSTABLE WORKBENCH



WSA3050

- 1 top of your choice
- 2 open legs for lift mechanism, 27"D x 28"H
- 1 hydraulic lift mechanism
- Anti-slip leveling glides
- Height adjustable from 30" to 42"
- 1 stringer, 17"H
- Compatible with WM accessories
- Load capacity: 825lb.

DIMENSIONS			TYPE OF TOP			
W	D	H	PAINTED STEEL	LAMINATED HARDWOOD	PLASTIC LAMINATE*	DISSIPATIVE**
60"	30"	30" to 42"	WSA1050	WSA2050	WSA3050*	WSA4050**
72"	30"	30" to 42"	WSA1051	WSA2051	WSA3051*	WSA4051**
72"	36"	30" to 42"	WSA1052	WSA2052	WSA3052*	WSA4052**

NOTES: These models cannot be made mobile.

\* Load capacity: 725 lb.

\*\* Models with dissipative tops include 1 grounding block, 1 grounding cord and 1 grounding wrist strap, see page 153.

## DESK WITH CLOSED LEGS



WSA3043

- 1 top of your choice
- 1 back panel
- 2 closed legs, 27"D x 28"H
- 1 shelf, 12"D

DIMENSIONS			TYPE OF TOP			
W	D	H	PAINTED STEEL	LAMINATED HARDWOOD	PLASTIC LAMINATE	ACRYLIC/PVC
60"	30"	30"	WSA1043	WSA2043	WSA3043	WSA9043
72"	30"	30"	WSA1044	WSA2044	WSA3044	WSA9044

NOTE: These models cannot be made mobile.

## CLOSED DESK WITH CLOSED LEGS



WSA3170

- 1 top of your choice
- 1 back panel
- 2 closed legs, 27"D x 32"H
- 3 shelves, 12"D
- 2 leg crossbars
- 1 front finishing panel
- 1 back finishing panel
- 1 sliding door with L3 lock

DIMENSIONS			TYPE OF TOP			
W	D	H	PAINTED STEEL	LAMINATED HARDWOOD	PLASTIC LAMINATE	ACRYLIC/PVC
60"	30"	34"	WSA1170	WSA2170	WSA3170	WSA9170
72"	30"	34"	WSA1171	WSA2171	WSA3171	WSA9171
72"	36"	34"	WSA1172	WSA2172	WSA3172	WSA9172

NOTE: These models cannot be made mobile.

## OPEN DOUBLE WORKBENCH



WSA1904

- 2 tops of your choice
- 3 legs, 27"D x 32"H
- 2 stringers
- 4 steel shelves, 12"D
- 1 shelf adapter for common leg
- 1 stringer extension for common leg

DIMENSIONS			TYPE OF TOP			
W	D	H	PAINTED STEEL	LAMINATED HARDWOOD	PLASTIC LAMINATE	ACRYLIC/PVC
8'(2 x 48")	30"	34"	WSA1902	WSA2902	WSA3902	WSA9902
10'(2 x 60")	30"	34"	WSA1904	WSA2904	WSA3904	WSA9904
12'(2 x 72")	30"	34"	WSA1906	WSA2906	WSA3906	WSA9906

NOTE: These models cannot be made mobile.

# PRECONFIGURED MODELS

## CLOSED DOUBLE WORKBENCH



WSA2971

- 2 tops of your choice
- 3 legs, 27"D×32"H
- 2 side panels and 2 back panels
- 4 steel shelves, 12"D
- 1 shelf adapter for common leg
- 2 sliding doors with L3 locks
- 2 side extensions for common leg

DIMENSIONS			TYPE OF TOP			
W	D	H	PAINTED STEEL	LAMINATED HARDWOOD	PLASTIC LAMINATE	ACRYLIC/PVC
8' (2×48")	30"	34"	WSA1971	WSA2971	WSA3971	WSA9971
10' (2×60")	30"	34"	WSA1973	WSA2973	WSA3973	WSA9973
12' (2×72")	30"	34"	WSA1975	WSA2975	WSA3975	WSA9975

NOTE: These models cannot be made mobile.

## WORKBENCH WITH COMPACT CABINET



LG2101C

- 1 top of your choice
- 1 leg, 27"D×32"H
- 1 L Compact Cabinet with 4" base
- The mobile model (35"H total) includes the following additional accessories:
  - 1 pair of 4" rigid casters
  - 1 pair of 4" swivel casters with total-lock brake
  - 1 footrest
- 1 integrated lock-in mechanism for drawers
- 1 base for casters for compact cabinet
- 2 pairs of caster adapters for legs



This table can be made mobile.

NOTES: The legs on mobile models are 28"H.  
Cabinet base not included with mobile model.



27"D cabinets are recommended for mobile workstations and workstations with WM bench frames.

DIMENSIONS			TYPE OF TOP			
W	D	H	PAINTED STEEL	LAMINATED HARDWOOD	PLASTIC LAMINATE	ACRYLIC/PVC
60"	30"	34"	L__1101C	L__2101C	L__3101C	L__9101C
72"	30"	34"	L__1102C	L__2102C	L__3102C	L__9102C
72"	36"	34"	LH1103C	LH2103C	LH3103C	LH9103C

To order: Complete the product number as follows:

- G for a stationary workbench with 21"D cabinet (for 30"D workbenches only)
- H for a stationary workbench with 27"D cabinet (for 30"D and 36"D workbenches only)
- J for a mobile workbench

## WORKBENCH WITH TWO COMPACT CABINETS



LG2201C

- 1 top of your choice
- 2 L Compact Cabinets with 4" base

DIMENSIONS			TYPE OF TOP			
W	D	H	PAINTED STEEL	LAMINATED HARDWOOD	PLASTIC LAMINATE	ACRYLIC/PVC
60"	30"	34"	L__1201C	L__2201C	L__3201C	L__9201C
72"	30"	34"	L__1202C	L__2202C	L__3202C	L__9202C
72"	36"	34"	LH1203C	LH2203C	LH3203C	LH9203C

To order: Complete the product number as follows:

- G for a stationary workbench with 21"D cabinet (for 30"D workbenches only)
- H for a stationary workbench with 27"D cabinet (for 30"D and 36"D workbenches only)

NOTE: These models cannot be made mobile.



27"D cabinets are recommended for mobile workstations and workstations with WM bench frames.

## WORKBENCH WITH SUSPENDED COMPACT CABINET



LG2001

- 1 top of your choice
- 2 legs, 27"D×32"H
- 1 stringer
- 1 L Compact Cabinet, 21"D
- 1 pair of cabinet attachment bars

DIMENSIONS			TYPE OF TOP			
W	D	H	PAINTED STEEL	LAMINATED HARDWOOD	PLASTIC LAMINATE	ACRYLIC/PVC
60"	30"	34"	LG1001	LG2001	LG3001	LG9001
72"	30"	34"	LG1002	LG2002	LG3002	LG9002
72"	36"	34"	LG1003	LG2003	LG3003	LG9003

NOTES: These models cannot be made mobile.  
Load capacity is limited to 50lb. per drawer in a suspended cabinet with RA70 attachment bars.

## DESK WITH COMPACT CABINET



LG3107

- 1 top of your choice
- 1 closed leg, 27"D×28"H
- 1 L Compact Cabinet, 21"D

DIMENSIONS			TYPE OF TOP		
W	D	H	PAINTED STEEL	LAMINATED HARDWOOD	PLASTIC LAMINATE
60"	30"	30"	LG1107	LG2107	LG3107
72"	30"	30"	LG1108	LG2108	LG3108
72"	36"	30"	LH1109	LH2109	LH3109

NOTE: These models cannot be made mobile.



27"D cabinets are recommended for mobile workstations and workstations with WM bench frames.

## WORKBENCH WITH HEAVY-DUTY DRAWERS



R5XDG-3004

- 1 laminated hardwood top
- 2 legs, 27"D×32"H
- 1 drawer unit
- 2 steel shelves
- 1 stringer

DIMENSIONS			TYPE OF TOP
W	D	H	LAMINATED HARDWOOD
48"	30"	34"	R5XDG-3004

NOTE: These models cannot be made mobile.



R5WH5-2007

- 1 laminated hardwood top
- 1 leg, 27"D×32"H
- 1 heavy-duty cabinet (with drawer compartments)

DIMENSIONS			TYPE OF TOP
W	D	H	LAMINATED HARDWOOD
60"	30"	34"	R5WH5-2007


NOTE: These models cannot be made mobile.



## WORK SURFACES

### RESISTANT ACRYLIC / PVC LAMINATE TOP


WS08



- Ideal for assembly stations or for applications using solvents, oils or other chemical products
- Thickness: 1½"
- Color: gray
- Particle board core
- Finish: sheet of gray polymer
- Premium-quality laminate top
- Excellent chemical resistance (can be in prolonged contact with a substance)
- Superior abrasion resistance compared with standard laminate tops
- Superior impact resistance compared with standard laminate tops
- Attractive appearance

### STAINLESS STEEL TOP

WS12



- Top for industrial, maintenance, repair or assembly applications, or for when solvents, oils and other chemical products are used
- Thickness: 1¾" 12ga steel
- #4 brushed finish, attractive appearance
- Includes two steel crossbars for attaching legs
- Includes three 2" x 4" wood crossbars for attaching cabinets and other accessories
- Can be reinforced or soundproofed with a WS75 wood filler
- Excellent corrosion resistance
- Excellent chemical resistance (can be in prolonged contact with a substance)

NOTE: RC35 tops are also compatible with stationary workstations (not recommended for mobile applications), [see page 12](#).

### PAINTED STEEL TOP

WS10



- Top for industrial, maintenance, repair or assembly applications
- Thickness: 1¾"
- Includes two steel crossbars for attaching legs
- Includes three 2" x 4" wood crossbars for attaching cabinets and other accessories
- Can be reinforced or soundproofed with a WS75 wood filler
- Excellent impact resistance
- Powder painted steel

### LAMINATED HARDWOOD TOP

WS14



- Top for general industrial applications
- Thickness: 1¾"
- Made from varnished hardwood slats
- Includes a 90° radius front edge for extra comfort
- High impact resistance
- Attractive appearance

### PLASTIC LAMINATED TOP

WS16



- Top for general use. Ideal for assembly stations, quality control and packaging
- Thickness: 1½"
- Colors: Default is white. For another color, add "-BA" for black or "-GB" for gray to the end of the product number, e.g., WS16-6024A-BA for a black top
- Includes a 90° radius front edge for extra comfort
- Attractive appearance
- Easy to clean



### DISSIPATIVE TOP

WS17



- Top for electronics tasks. Ideal for electronics inspection or assembly stations
- Thickness: 1½"
- Color: white
- Attractive appearance
- Easy to clean
- Includes a 90° radius front edge for extra comfort
- Dissipates electrical charges that can damage electronic components
- The resistance point to point and point to ground is between 10<sup>6</sup> and 10<sup>9</sup> Ω

DIMENSIONS		CABINET TOPS					
W	D	ACRYLIC/PVC LAMINATE	PAINTED STEEL	STAINLESS STEEL	LAMINATED HARDWOOD	PLASTIC LAMINATE	DISSIPATIVE
36"	24"				WS14-3624A	WS16-3624A*	
	30"				WS14-3630A	WS16-3630A*	
48"	24"	WS08-4824A*	WS10-4824	WS12-4824 *	WS14-4824A	WS16-4824A*	WS17-4824A*
	30"	WS08-4830A*	WS10-4830	WS12-4830 *	WS14-4830A	WS16-4830A	WS17-4830A*
	36"	WS08-4836A*	WS10-4836	WS12-4836 *	WS14-4836A*	WS16-4836A*	WS17-4836A*
60"	24"	WS08-6024A*	WS10-6024	WS12-6024 *	WS14-6024A	WS16-6024A	WS17-6024A*
	30"	WS08-6030A	WS10-6030	WS12-6030 *	WS14-6030A	WS16-6030A	WS17-6030A
	36"	WS08-6036A*	WS10-6036	WS12-6036 *	WS14-6036A	WS16-6036A	WS17-6036A*
72"	24"	WS08-7224A	WS10-7224	WS12-7224 *	WS14-7224A	WS16-7224A	WS17-7224A*
	30"	WS08-7230A	WS10-7230	WS12-7230 *	WS14-7230A	WS16-7230A	WS17-7230A
	36"	WS08-7236A	WS10-7236	WS12-7236 *	WS14-7236A	WS16-7236A	WS17-7236A

NOTES: \* Please check with your Customer Service representative for lead times.

21"D cabinets are not compatible with 30"D and 36"D WS10 / 12 tops.


Please refer to technical guide W54 for load capacities based on the configuration.

27"D cabinets are compatible with 30"D and 36"D WS10 / 12 tops.

21"D cabinets are compatible with 24"D WS10 / 12 tops.

## STEEL TOP CROSSBAR

WS11




- Painted steel: WS11
- Installs in the center of a steel top (WS10 or WS12) for extra reinforcement
- To order: Specify the type of steel required, e.g., WS11-24

PRODUCT NO.	W × D
WS11-24	6" × 24"
WS11-30	6" × 30"
WS11-36	6" × 36"

## BACK OR SIDE STOPS

WS18 / WS98




- Painted steel: WS18
- Stainless steel: WS98
- Can be installed on back or sides depending on top dimensions
- Compatible with all WS tops
- Height: 5" Extends above top by approx. 3/4"
- To order: Specify the type of steel required, e.g., WS18-2405

PRODUCT NO.	LENGTH
WS_-2405	24"
WS_-3005	30"
WS_-3605	36"
WS_-4805	48"
WS_-6005	60"
WS_-7205	72"

## WOOD FILLER FOR STEEL TOP

WS75




- Made from wooden crossbars
- Inserts into WS10 and WS12 steel tops for soundproofing
- Increases sturdiness of steel tops
- Enables accessories to be installed under the work surface
- Depths available: 24", 30" and 36"
- To order: Specify the depth required

PRODUCT NO.	WIDTH
WS75-48__	48"
WS75-60__	60"
WS75-72__	72"

## SLIDING KEYBOARD TRAY

WS90-01




- Installs under all types of top
- Mouse tray slides to the left or right as required
- Usable surface area: 21 1/2"W × 11 3/16"D
- Mouse tray: 9 3/8"W × 9 1/8"D
- Width taken up under the work surface: 22"

PRODUCT NO.	COLOR
WS90-01	Black

## WOOD CROSSBAR FOR STEEL TOP

WS76




- Enables cabinets, hanging cabinets, drawer units and back panels to be installed under a steel top
- Depths available: 24", 30" and 36"
- To order: Specify the depth required

PRODUCT NO.	W × H
WS76-0202__	2" × 2"
WS76-0204__	4" × 2"
WS76-0208__	8" × 2"

NOTE: Three crossbars (2" × 4") are included with each WS10 and WS12 steel top.

## ADJUSTABLE KEYBOARD TRAY

WS90-02



- Mount with an articulating arm for working while sitting or standing
- Installs under all types of top
- Includes:
  - Mouse tray that slides to the left or right
  - Ergonomic palm wrist
- Slides under the work surface when not in use
- Heavy-duty construction
- Usable surface area: 9 1/2" × 20 1/2"
- Mouse tray: 9 3/8" × 9"
- Width taken up under the work surface: 30"


PRODUCT NO.	COLOR
WS90-02	Black



# COMPONENTS – WORK SURFACES

## SIDE BRACKETS FOR TOP

RA73



- Load capacity: 500lb. per pair, 1,000lb. for four
- Compatible with all cabinet depths
- Compatible with all types of top
- Galvanized steel

PRODUCT NO.	
RA73-02	One pair
RA73-04	Two pairs



## CPU HOLDER

WS92




- Installs under all types of top
- Includes a handle for adjusting the width of the plastic side support
- Height adjustable to hold computer cases from 3½"W to 9¼"W by 12½"H to 22½"H
- Width: 8⅞" to 11½"
- Depth: 6¼" (8½" with handle)
- Height: 18" to 26"

PRODUCT NO.	COLOR
WS92-01	Black

## LAMINATED HARDWOOD TOP FOR SHELVING

SR90




- For installation between two shelving units
- A pair of SH74-24 supports must be ordered to install this top

PRODUCT NO.	W × D
SR90-6024A	60" × 24"
SR90-7224A	72" × 24"

## TOP SUPPORTS

SH74




- Sold in pairs
- Supports an SR90 hardwood top between two shelving units
- Easy hook-on assembly

PRODUCT NO.	DEPTH
SH74-24	24"

## STRUCTURAL COMPONENTS

### OPEN LEG

WS20




- Three basic heights available: 28", 32" and 34"
- WS21 extensions can be added if required
- "Inverted hat" shaped top part provides excellent rigidity
- A second WS24 leg crossbar can be added for installation of WS50 shelves
- Can be closed with a WS62 side panel
- To add a power strip with two 12A outlets, add -20 to the product number
- To add a power strip with one 12A outlet and two USB ports, add -22 to the product number

PRODUCT NO.	D × H	WORK SURFACE DEPTH
WS20-2128-__	21" × 28"	24" and 30"
WS20-2132-__	21" × 32"	24" and 30"
WS20-2134-__	21" × 34"	24" and 30"
WS20-2728-__	27" × 28"	30" and 36"
WS20-2732-__	27" × 32"	30" and 36"
WS20-2734-__	27" × 34"	30" and 36"

### CLOSED LEG

WS25




- Fulfills aesthetic requirements of certain work environments
- Three basic heights available: 28", 32" and 34"
- "Inverted hat" shaped top part provides excellent rigidity
- One closed side. There are no holes on the front or exterior side;
- there are fixing zones for accessories on the interior side
- A second WS24 leg crossbar can be added for installation of WS50 shelves
- To add a power strip with two 12A outlets, add L-20 to the product number for the left leg and R-20 for the right leg
- To add a power strip with one 12A outlet and two USB ports, add L-22 to the product number for the left leg and R-22 for the right leg

PRODUCT NO.	D × H	WORK SURFACE DEPTH
WS25-2128-__	21" × 28"	24" and 30"
WS25-2132-__	21" × 32"	24" and 30"
WS25-2134-__	21" × 34"	24" and 30"
WS25-2728-__	27" × 28"	30" and 36"
WS25-2732-__	27" × 32"	30" and 36"
WS25-2734-__	27" × 34"	30" and 36"

## FLOOR ANCHORING HARDWARE KIT

WS80




- For anchoring legs to the ground
- Includes four bolts for concrete floors

PRODUCT NO.
WS80

NOTES: Compatible with WS26 leveling glides.  
Not compatible with WS21 leg extensions.

## STRINGER

WS22




- Attaches between the two legs at the rear to strengthen the structure
- Available in standard widths that correspond to work surface widths
- Can act as a back for shelves under the work surface

PRODUCT NO.	WIDTH	WORK SURFACE WIDTH
WS22-4805	39"	48"
WS22-6005	51"	60"
WS22-7205	63"	72"

## LEG CROSSBAR

WS24




- Provides space for a second row of shelves under the work surface
- Can be mounted to a WS20 open leg or WS25 closed leg
- To add a power strip with two 12A outlets, add -20 to the product number
- To add a power strip with one 12A outlet and two USB ports, add -22 to the product number

PRODUCT NO.	LEG DEPTH
WS24-21-__	21"
WS24-27-__	27"

## CORNER GUSSETS FOR LEG

WS28




- Sold in pairs
- Installs on a leg and under the work surface to reinforce the structure
- Recommended for mobile workstations with a particle board or plastic laminate top

PRODUCT NO.
WS28-01

NOTE: For load capacities for mobile workstations with gussets, please refer to technical guide W54 or contact your Customer Service representative. Not compatible with WS10 and WS12 steel tops.

## ADJUSTABLE FOOTREST

WS23




- Adjustable width; adjusted by sliding the inner part in or out
- Required for all mobile workstations
- Attaches to the leg crossbars or the cabinet sides to strengthen the structure

PRODUCT NO.	WIDTH ADJUSTMENT
WS23-1624	16" to 24"
WS23-2440	24" to 40"
WS23-4072	40" to 72"

FOOTRESTS AVAILABLE BASED ON CONFIGURATION	WORK SURFACE WIDTH		
	48"	60"	72"
2 legs	WS23-2440	WS23-4072	WS23-4072
1 leg and 1 L Compact Cabinet	WS23-2440	WS23-2440	WS23-4072
2 L Compact Cabinets	-	WS23-1624	WS23-2440
1 leg and 1 RA30-2427 cabinet	-	WS23-2440	WS23-4072
1 leg and 1 RA30-3027 cabinet	-	WS23-2440	WS23-2440
1 leg and 1 RA30-3624 cabinet	-	WS23-1624	WS23-2440

## WALL-MOUNTED OPEN LEG

WS95




- Load capacity: 500lb. per leg, 1,000lb. per pair (if wall and wall anchoring are of sufficient strength)
- Anchoring hardware not provided by Rousseau
- Intended for 24"D, 30"D and 36"D tops
- Compatible with all types of top available from Rousseau
- Compatible with WS18 back stops and WM uprights
- WS96 crossbars and a 12"D WS50 shelf (optional add-on) can be installed on this product

PRODUCT NO.	D×H
WS95-2428	22 <sup>3</sup> / <sub>16</sub> " × 29 <sup>1</sup> / <sub>16</sub> "

NOTE: For more information on our wall-mounted solutions: see page 198.

## CROSSBAR FOR WALL-MOUNTED LEG

WS96




- For installation of a 12"D WS50 shelf between two WS95 wall-mounted legs

PRODUCT NO.	DEPTH
WS96-24	13 <sup>3</sup> / <sub>16</sub> "



# COMPONENTS – STRUCTURE UNDER THE WORK SURFACE

## STEEL SHELF

WS50 / WS56




- Painted steel: WS50
- Stainless steel: WS56
- Thickness: 1 1/4"
- Installs on WS24 leg crossbars or on WM27 shelf supports, see pages 135 and 152
- Shelf combinations:
  - 21"D legs: One 6"D shelf + one 12"D shelf
  - 27"D legs: Two 12"D shelves
- To order: Specify the type of steel required



PRODUCT NO.	W x D	WORK SURFACE WIDTH
WS__-4806	45" x 6"	48"
WS__-4812	45" x 12"	48"
WS__-6006	57" x 6"	60"
WS__-6012	57" x 12"	60"
WS__-7206	69" x 6"	72"
WS__-7212	69" x 12"	72"

## SIDE EXTENSION FOR COMMON LEG

WS64




- Includes one extension at the front and one at the back
- Required for mounting WS60 sliding doors or WS63 back panels to a common leg

PRODUCT NO.	HEIGHT
WS64-0325	25"

## STRINGER EXTENSION FOR COMMON LEG

WS79




- Must be ordered to install a WS22 stringer on a common leg

PRODUCT NO.
WS79-0305

## SIDE PANEL

WS62




- Installs on open legs
- Compatible with 28"H, 32"H and 34"H legs

PRODUCT NO.	D x H	LEG DEPTH
WS62-2128	20" x 25"	21"
WS62-2728	26" x 25"	27"

## BACK PANEL

WS63




- Installs behind WS20 open or WS25 closed legs
- Widths available:
  - 48" (one part)
  - 60" and 72" (two parts each)
- Compatible with 28"H, 32"H and 34"H legs

PRODUCT NO.	W x H	SURFACE WIDTH
WS63-4828	39" x 24"	48"
WS63-6028	51" x 24"	60"
WS63-7228	63" x 24"	72"

## SHELF ADAPTER FOR COMMON LEG

WS78




- Must be ordered to install WS50/WS56 shelves on a common leg

PRODUCT NO.	LEG DEPTH
WS78-0321	21"
WS78-0327	27"

NOTE: Not compatible with WS62 side panels.

## ADAPTER FOR WS50 SHELF

RC15




- For installation of a WS50 shelf between two RA30 or two LA30 cabinets
- For installation of a WS50 shelf between an RA30 cabinet and a WS20 leg or between an LA30 cabinet and a WS20 leg
- Installs in holes on the side of the cabinet (knockouts provided)

PRODUCT NO.	DEPTH
RC15-12	12" (one 12" or two 6" shelves)
RC15-18	18" (12" + 6" or three 6" shelves)
RC15-24	24" (two 12" or four 6" shelves)

# COMPONENTS – STRUCTURE UNDER THE WORK SURFACE

## POWER OUTLET MODULE

WS7B



- Mounts directly under a wood or laminate work surface
- Includes 15' power cord
- Two models available: two 12A outlets, or one 12A outlet and two USB ports

PRODUCT NO.	OPTIONS
WS7B-20	2 power outlets
WS7B-22	1 power outlet + 2 USB ports

## POWER OUTLET STRIP




- 15A power outlet strip with circuit breaker
- Mounts horizontally under a work surface or riser shelf
- Mounting hardware included

PRODUCT NO.	LENGTH	EXTENSION CORD	NO. OF OUTLETS
70000500	9"	6'	5, without on/off switch
70000505	12"	6'	6, with on/off switch
70000506	12"	15'	6, with on/off switch

## SLIDING DOORS

WS60 / WS61





- Sliding doors: WS60
- Sliding polycarbonate doors: WS61
- Closes and secures the area under the work surface (standard L3 lock included)
- Compatible with workstations with 28"H, 32"H and 34"H legs
- To order: Specify the type of door required,
- e.g., WS61-4828L3 for 39"W x 24"H sliding polycarbonate doors

PRODUCT NO.	W x H	WORK SURFACE WIDTH
WS_-4828L3	39" x 24"	48"
WS_-6028L3	51" x 24"	60"
WS_-7228L3	63" x 24"	72"

## PAPER AND CARDBOARD SPOOL HOLDER

WS86



- Installs under the work surface on WS24 leg crossbars (sold separately)
- Includes two end brackets and one rod
- Rod diameter: 1"
- Spool is inserted by pivoting one end of the rod, only one person needed
- 75lb. load capacity

PRODUCT NO.	WIDTH	COLOR
WS86-48	48"	Black
WS86-60	60"	Black
WS86-72	72"	Black

NOTE: Up to two can be installed on a WS24-21 crossbar and up to three on a WS24-27.



# COMPONENTS – STRUCTURE UNDER THE WORK SURFACE

## FINISHING PANEL

WS65 / WS66




- Front finishing panel: WS65
- Rear finishing panel: WS66
- Closes the space under a set of sliding doors on both the front and back of the workstation
- Three basic heights available: 4", 8" and 10"
- Compatible with workstations with 28"H, 32"H and 34"H closed legs
- To order: Specify the finishing panel and height required, e.g., WS65-4808 for a front finishing panel 48"W×8"H

PRODUCT NO.	W×H	CLOSED LEG HEIGHT
WS__-4804	48"×4"	28"
WS__-4808	48"×8"	32"
WS__-4810	48"×10"	34"
WS__-6004	60"×4"	28"
WS__-6008	60"×8"	32"
WS__-6010	60"×10"	34"
WS__-7204	72"×4"	28"
WS__-7208	72"×8"	32"
WS__-7210	72"×10"	34"

## PACKAGING SHEAR CUTTER

WM87




- For cutting paper, corrugated cardboard, plastic, packing foam, bubble wrap, etc. For materials up to 36" wide
- Cuts in both directions


PRODUCT NO.	MATERIAL CUTTING WIDTH	OVERALL WIDTH
WM87-01	36"	48"

## LEVELING GLIDES

WS26



For leg WS20/25




With leg extensions WS21

- Sold in pairs
- Adjusts the height of legs on uneven surfaces
- For use with an L Compact Cabinet, see LA74 Leveling Glide Kit, [see page 35](#)

PRODUCT NO.
WS26

## LEG EXTENSIONS / CASTER ADAPTERS

WS21



- Compatible with open legs only
- Sold in pairs
- Three basic heights available: 3", 6" and 9"
- Leg height can be adjusted with the 6"H and 9"H models
- Casters can be installed on the 3"H and 6"H models;
- Casters cannot be used with the 9"H model

PRODUCT NO.	HEIGHT	ADJUSTMENT POSSIBLE	CASTER TYPE
WS21-0306	3"	–	4" or 6"
WS21-0606	6"	Up to 3"	4" or 6"
WS21-0904	9"	Up to 6"	Not compatible

## CASTERS



\_B81-03



\_B84-03

- Sold in pairs
- Three types of casters available: rigid, swivel and swivel with total-lock brake (on wheel and swivel)
- Dark gray, non-marking polyurethane tread
- Superior industrial quality
- To order: Specify the type of cabinet required (L or R), e.g., RB81-01

PRODUCT NO.	CASTER TYPE	LOAD CAPACITY	HEIGHT	
			WHEEL HEIGHT	TOTAL
_B81-01	Rigid	420 lb	4"	5 1/4"
_B81-02	Swivel	420 lb	4"	5 1/4"
_B81-03	Swivel with total-lock brake	420 lb	4"	5 1/4"
_B84-01	Rigid	900 lb	6"	7 1/2"
_B84-02	Swivel	900 lb	6"	7 1/2"
_B84-03	Swivel with total-lock brake	900 lb	6"	7 1/2"

NOTES: Not compatible with 18"W R cabinets.


The casters install directly under an R cabinet (without base).

An LB93 cart or LB96 base for casters is required for use with an L compact cabinet, [see page 65](#)



# COMPONENTS – STRUCTURE UNDER THE WORK SURFACE

## QUIET CASTERS



- Sold in pairs
- Smooth and quieter rolling
- Two types of casters available: rigid and swivel with total-lock brake (on wheel and swivel)
- Blue, hard-wearing polyurethane tread for quiet and easy maneuvering
- Superior industrial quality
- To order: Specify the type of cabinet required (L or R), e.g., RB8C-01

PRODUCT NO.	CASTER TYPE	LOAD CAPACITY	HEIGHT	
			WHEEL HEIGHT	TOTAL
_B8C-01	Quiet, rigid	660lb	4"	5 $\frac{1}{8}$ "
_B8C-03	Quiet, swivel with total-lock brake	660lb	4"	5 $\frac{1}{8}$ "
_B8D-01	Quiet, rigid	1000lb	6"	7 $\frac{1}{2}$ "
_B8D-03	Quiet, swivel with total-lock brake	1000lb	6"	7 $\frac{1}{2}$ "

NOTES: Not compatible with 18"W R cabinets.  
 The casters install directly under an R cabinet (without base).  
 An LB93 cart or LB96 base for casters is required for use with an L compact cabinet, [see page 65](#).





# COMPONENTS – STRUCTURE UNDER THE WORK SURFACE

## PRECONFIGURED CABINETS

HERE ARE SOME OF OUR MOST POPULAR PRECONFIGURED CABINET MODELS FOR WORKSTATIONS

### L Compact Cabinets:

- 27"D cabinets are required for 36"D workstations and recommended for workstations with WM bench frames and for 30"D mobile workstations
- Order LG31 hanging file bars to hang letter size (8½" x 11") or legal size (8½" x 14") files in a 12"H drawer, [see page 31](#)
- Can be ordered with or without a central lock (L3). To order a central locking system, add L3 to the product number
- To add an L50 electronic lock to a door or to your L cabinet, [see page 11](#)



### R Heavy-Duty Cabinets:


- The preconfigured models in this section include a 2" recessed base and a lock on the cabinet housing
- 12"H drawers are designed to hold hanging file bars. Order RG30 or RG31 hanging file bars, [see page 219](#)
- To add an L50 electronic lock to a door or to your R cabinet, [see page 11](#)



**IMPORTANT**

Drawer compartments are included in all models.

To order drawers without compartments, replace the last two digits of the model number with the next even number up.

e.g., L3ABD-2851 with L3ABD-2852 without



KA-KD-MK 272

NUMBER OF COMPARTMENTS (LAYOUT CODE)			
DRAWER DIMENSIONS (W x D)	3"H TO 5"H	6"H TO 8"H	9"H AND HIGHER
18" x 21"	9 (0206)	6 (0104)	4 (0102)
18" x 27"	9 (0206)	6 (0104)	4 (0102)
24" x 21"	12 (0308)	9 (0206)	4 (0102)
24" x 27"	20 (0316)	12 (0209)	6 (0104)
30" x 21"	24 (0518)	12 (0308)	6 (0203)
30" x 27"	25 (0420)	12 (0308)	9 (0206)

### 28" H L COMPACT CABINETS - WITHOUT BASE



4"  
5"  
5"  
5"  
5"



3"  
3"  
6"  
12"



6"  
6"  
12"



3"  
3"  
4"  
4"  
4"  
6"



5"  
5"  
6"  
8"

5 DRAWERS		4 DRAWERS		3 DRAWERS		6 DRAWERS		4 DRAWERS	
L3ABD-2861__	18" x 21" x 28"	L3ABD-2871__	18" x 21" x 28"	L3ABD-2873__	18" x 21" x 28"	L3ABD-2867__	18" x 21" x 28"	L3ABD-2869__	18" x 21" x 28"
L3ABG-2861__	18" x 27" x 28"	L3ABG-2871__	18" x 27" x 28"	L3ABG-2873__	18" x 27" x 28"	L3ABG-2867__	18" x 27" x 28"	L3ABG-2869__	18" x 27" x 28"

### 32" H L COMPACT CABINETS – WITH 4" H BASE



6"  
6"  
6"  
6"



24"



6"  
6"  
12"



12"  
12"



3"  
3"  
6"  
12"

4 DRAWERS		1 DOOR / 1 AJUSTABLE SHELF		3 DRAWERS		2 DRAWERS		4 DRAWERS	
L3ABD-2851__C	18" x 21" x 32"	L3ABD-2854__C	18" x 21" x 32"	L3ABD-2855__C	18" x 21" x 32"	L3ABD-2857__C	18" x 21" x 32"	L3ABD-2859__C	18" x 21" x 32"
L3ABG-2851__C	18" x 27" x 32"	L3ABG-2854__C	18" x 27" x 32"	L3ABG-2855__C	18" x 27" x 32"	L3ABG-2857__C	18" x 27" x 32"	L3ABG-2859__C	18" x 27" x 32"

### R HEAVY-DUTY CABINETS – WITH 2" H BASE



4"  
4"  
6"  
12"



3"  
3"  
4"  
4"  
4"  
8"



3"  
3"  
6"  
14"



6"  
6"  
7"  
7"



4"  
4"  
4"  
6"  
6"  
6"  
6"

4 DRAWERS		6 DRAWERS		4 DRAWERS		4 DRAWERS		8 DRAWERS	
R5ACD-3013	24" x 21" x 32"	R5ACD-3017	24" x 21" x 32"	R5ADD-3015	30" x 21" x 32"	R5ADD-3017	30" x 21" x 32"	R5ADD-4409	30" x 21" x 46"
R5ACG-3013	24" x 27" x 32"	R5ACG-3017	24" x 27" x 32"	R5ADG-3015	30" x 27" x 32"	R5ADG-3017	30" x 27" x 32"	R5ADG-4409	30" x 27" x 46"

# COMPONENTS – STRUCTURE UNDER THE WORK SURFACE

## STANDARD DRAWER UNITS

To order a drawer lock with the drawer unit, add **L3** to the drawer product number.



100lb. maximum load capacity for each drawer in a unit to avoid destabilizing the workstation when drawers are opened.

### 6"H AND 7"H DRAWER UNIT



1 DRAWER	
LD77-3201__	18" x 21" x 6"
LD77-4201__	18" x 27" x 6"



1 DRAWER	
LD77-3202__	18" x 21" x 7"
LD77-4202__	18" x 27" x 7"

NOTE: LD77 units are not stackable and not compatible with LD76 covers.

### 12"H DRAWER UNIT



2 DRAWERS	
LD75-3203__	18" x 21" x 12"
LD75-4203__	18" x 27" x 12"



2 DRAWERS	
LD75-3204__	18" x 21" x 12"
LD75-4204__	18" x 27" x 12"

### 9"H DRAWER UNIT



1 DRAWER	
LD75-3201__	18" x 21" x 9"
LD75-4201__	18" x 27" x 9"



2 DRAWERS	
LD75-3202__	18" x 21" x 9"
LD75-4202__	18" x 27" x 9"

### 15"H DRAWER UNIT



2 DRAWERS	
LD75-3206__	18" x 21" x 15"
LD75-4206__	18" x 27" x 15"



1 DRAWER	
LD75-3207__	18" x 21" x 15"
LD75-4207__	18" x 27" x 15"

## HEAVY-DUTY DRAWER UNITS

To order a drawer lock with the drawer unit, add **L3** to the drawer product number.



200lb. maximum load capacity per unit to avoid destabilizing the workstation when drawers are opened.

### 24"W DRAWER UNIT



1 DRAWER	
RD77-24210801__	24" x 21" x 8"
RD77-24270801__	24" x 27" x 8"



2 DRAWERS	
RD77-24210802__	24" x 21" x 8"
RD77-24270802__	24" x 27" x 8"

### 30"W DRAWER UNIT



1 DRAWER	
RD77-30210801__	30" x 21" x 8"
RD77-30270801__	30" x 27" x 8"



2 DRAWERS	
RD77-30210802__	30" x 21" x 8"
RD77-30270802__	30" x 27" x 8"

### 36"W DRAWER UNIT




1 DRAWER	
RD77-36240801__	36" x 24" x 8"
RD77-36270801__	36" x 27" x 8"




2 DRAWERS	
RD77-36240802__	36" x 24" x 8"
RD77-36270802__	36" x 27" x 8"

### 48"W DRAWER UNIT



1 DRAWER	
RD77-48240801__	48" x 24" x 8"
RD77-48270801__	48" x 27" x 8"



2 DRAWERS	
RD77-48240802__	48" x 24" x 8"
RD77-48270802__	48" x 27" x 8"